-2-

AMENDMENT TO THE CLAIMS

1. (currently amended) A method of providing Resource-Event-Agent (REA) model based security, the method comprising:

identifying an association between a first object and a second object in an REA model; creating an association class object for the association between the first object and the second object, the association class object having properties defining security between the first object and the second object.

2. (canceled)

- 3. (currently amended) The method of claim 21, wherein creating the association class object further comprises creating one or more association class objects having properties, the properties of the one or more association class objects defining security between a first class of objects of which the first object is a member and a second class of objects of which the second object is a member.
- 4. (currently amended) The method of claim 21, wherein the second object is a securable object.
- 5. (original) The method of claim 4, wherein the first object is of a particular agent type, and wherein a role for a user is defined by the particular agent type for the first object.
- 6. (original) The method of claim 5, wherein the second object is a contract or agreement type object.
- 7. (original) The method of claim 5, wherein the second object is a commitment type object.
- 8. (original) The method of claim 5, wherein the second object is an event type object.

- 9. (original) The method of claim 5, wherein the second object is a resource type object.
- 10. (original) The method of claim 5, wherein the second object is an agent type object.
- 11. (original) The method of claim 5, wherein identifying the association between the first object and the second object further comprises identifying a control type association between the first object and the second object.
- 12. (original) The method of claim 5, wherein identifying the association between the first object and the second object further comprises identifying a custody type association between the first object and the second object.
- 13. (currently amended) The method of claim 5, wherein creating the association class <u>object</u> for the association between the first object and the second object further comprises creating the association class <u>object</u> in a security model.
- 14. (currently amended) The method of claim 13, wherein creating the association class <u>object</u> in the security model further comprises creating the association class <u>object</u> in the security model separate from the REA model.
- 15. (currently amended) The method of claim 13, wherein creating the association class <u>object</u> in the security model further comprises creating the association class <u>object</u> in the security model as part of the REA model.
- 16. (original) The method of claim 13, wherein defining security between the first object and the second object further comprises defining permissions and rights of the first object relative to the second object.

-4-

- 17. (original) The method of claim 16, wherein defining permissions and rights of the first object relative to the second object further comprises dynamically determining the permissions and rights in a security policy logic module outside of the security model.
- 18. (currently amended) A computer readable medium having computer-executable instructions for performing steps of a method of providing Resource-Event-Agent (REA) model based security, the steps comprising:

identifying an association between a first object and a second object in an REA model; creating an association class object for the association between the first object and the second object, the association class object having properties defining security between the first object and the second object.

19. (canceled)

- 20. (currently amended) The computer readable medium of claim 1918, wherein creating the association class object further comprises creating one or more association class objects having properties, the properties of the one or more association class objects defining security between a first class of objects of which the first object is a member and a second class of objects of which the second object is a member.
- 21. (currently amended) The computer readable medium of claim 1918, wherein the first object is of a particular agent type, and wherein a role for a user is defined by the particular agent type for the first object.
- 22. (original) The computer readable medium of claim 21, wherein the second object is a contract or agreement type object.

-5-

- 23. (original) The computer readable medium of claim 21, wherein the second object is a commitment type object.
- 24. (original) The computer readable medium of claim 21, wherein the second object is an event type object.
- 25. (original) The computer readable medium of claim 21, wherein the second object is a resource type object.
- 26. (original) The computer readable medium of claim 21, wherein the second object is an agent type object.
- 27. (currently amended) The computer readable medium of claim 1918, wherein identifying the association between the first object and the second object further comprises identifying a control type association between the first object and the second object.
- 28. (currently amended) The computer readable medium of claim 1918, wherein identifying the association between the first object and the second object further comprises identifying a custody type association between the first object and the second object.
- 29. (currently amended) The computer readable medium of claim 4918, wherein creating the association class object for the association between the first object and the second object further comprises creating the association class object in a security model.
- 30. (currently amended) The computer readable medium of claim 29, wherein creating the association class object in the security model further comprises creating the association class object in the security model separate from the REA model.

-6-

- 31. (currently amended) The computer readable medium of claim 29, wherein creating the association class object in the security model further comprises creating the association class object in the security model as part of the REA model.
- 32. (original) The computer readable medium of claim 29, wherein defining security between the first object and the second object further comprises defining permissions and rights of the first object relative to the second object.
- 33. (original) The computer readable medium of claim 32, wherein defining permissions and rights of the first object relative to the second object further comprises dynamically determining the permissions and rights in a security policy logic module outside of the security model.
- 34. (currently amended) A system for providing security, the system comprising:
 - a Resource-Event-Agent (REA) model configured to implement a first object, a second object, and an association between the first object and the second object;
 - a security model configured to implement an association class <u>object</u> for the association between the first object and the second object in the REA model, such that <u>properties of the association class object defines security between the first object and the second object.</u>

35. (canceled)

36. (currently amended) The system of claim 3534, wherein the association class object further comprises one or more association class objects having properties, the properties of the one or more association class objects defining security between a first class of objects of which the first object is a member and a second class of objects of which the second object is a member.

-7-

- 37. (currently amended) The system of claim 3534, wherein the security model is separate from the REA model.
- 38. (currently amended) The system of claim 3534, wherein the security model is part of the REA model.
- 39. (currently amended) The system of claim 3534, and further comprising a security policy logic module coupled to the security model and configured to dynamically determine permissions and rights of the first object relative to the second object.